## TRADEX COMMERCIAL FISHING SEASONS

	January	February	March	April	May	June	July	August	September	October	November	December
Albacore Tuna <sup>1</sup>												
Alaska Plaice												
Arrowtooth Flounder												
Cod, Atlantic <sup>2</sup>												
Cod, Pacific												
Crab, Dungeness												
Crab, King <sup>3</sup>												
Crab, Snow ⁴												
Haddock												
Halibut, Atlantic ⁵												
Halibut, Pacific												
Lingcod												
Mackerel, Atka												
Mackerel, Atlantic <sup>6</sup>												
Mackerel, Pacific <sup>7</sup>												
Pacific Ocean Perch												
Pangasius												
Pollock												
Rockfish <sup>8</sup>												
Open	<sup>1</sup> Seasonality is based on North Pacific fisheries											
High Season	<sup>2</sup> Seasonality is for the North East Arctic Cod stock - one of the few remaining stocks in good condition. The Northeast US fishery is open year-round and in Canada various openings and closures in specific areas are de-											
Farmed	cided by Conservation Harvesting Plans. <sup>3</sup> Seasonality is dependant on when the ice melts and may last several weeks or just a few days. <sup>4</sup> Alaska's Season is mid-fall - February and sometimes extends into Spring; Atlantic Canada's Season is April - November. <sup>5</sup> State fisheries are open April 1 <sup>st</sup> - June 30 <sup>th</sup> ; Federal fisheries are year-round. Atlantic Halibut fisheries were once overfished and are currently under a rebuilding program. Fisheries are not subject to overfishing today.											
Farmed												
	<sup>6</sup> Seasonality in chart is for Canada. The US fishery is open year-round.											
	<sup>7</sup> Seaonalality is determined locally by regional oceanographic conditions. This chart is based on California state fisheries because it is the state in which most US Pacific Mackerel is harvested. <sup>8</sup> Seasonality is based on Alaskan state fisheries. Rockfish are highly vulnerable to fishing pressure and therefore openings and closures are tightly regulated and may vary year-to-year.											
					is to horning pr		ere opennigs and t	costares are agria	,	,, year to year	•	



## TRADEX COMMERCIAL FISHING SEASONS

	January	February	March	April	May	June	July	August	September	October	November	December	
Sablefish													
Saithe													
Salmon, Atlantic													
Salmon, Chinook	Winter Season					Summer Season			Winter Season				
Salmon, Chum													
Salmon, Coho													
Salmon, Pink													
Salmon, Sockeye													
Scallop, Bay <sup>9</sup>													
Scallop, Sea													
Shrimp, Black Tiger													
Shrimp, Brown												<u> </u>	
Shrimp, Pink (Coldwater)													
Shrimp, Pink (Warmwater)					1								
Shrimp, White													
Shrimp, Whiteleg													
Skate	Best Quality												
Steelhead Trout													
Sole, Dover <sup>10</sup>													
Sole Flathead <sup>10</sup>													
Sole, Rex 10													
Sole, Rock <sup>10</sup>													
Sole, Yellowfin <sup>10</sup>													
Open	<sup>9</sup> Wild fisheries a	lso exist - for whic	h seasonality varies	s by region.		a provincia de la subst						1	
High Season	<sup>10</sup> Seasonality is	based on Alaska st	ate fisheries for wh	nich some are dire	cted, while others	are bycatch.							
Farmed													

Copyright © 2018 Tradex Foods - All Rights Reserved



## TRADEX COMMERCIAL FISHING SEASONS

	and the second s												
	January	February	March	April	Мау	June	July	August	September	October	November	December	
Squid, Illex argentinus													
Squid, Illex illecebrosus													
Squid, Loligo opalescens													
 Tilapia													
Turbot <sup>11</sup>													
					and the second se								

Open High Season Farmed

<sup>11</sup> Wild-caught Turbot is also available - for which seasonality varies by country and fishery.

